

	Application No.	Applicant(s)	
Notice of Allowability	10/783,899	LANGEN, ALFRED	
	Examiner	Art Unit	
	Jonathan Salata	2837	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>application filed 2-20-04</u> .			
2. The allowed claim(s) is/are <u>5-13</u> .			
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the</li> </ul>			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached			
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
<ol> <li>DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.</li> </ol>			
·			
Attachment(s)	_ 'pen		
1. ☑ Notice of References Cited (PTO-892)	5. Notice of Informal F		
2.  Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Da	(PTO-413), te	
<ul> <li>3. ☑ Information Disclosure Statements (PTO/SB/08),         Paper No./Mail Date 4-15-04</li> <li>4. ☐ Examiner's Comment Regarding Requirement for Deposit</li> </ul>	7. Examiner's Amend	Paper No./Mail Date 7.	
	8. ⊠ Examiner's Statement of Reasons for Allowance		
of Biological Material	9.	9.  Other	
		•	
· ·			

Application/Control Number: 10/783,899

Art Unit: 2837

## **DETAILED ACTION**

## Allowable Subject Matter

Claims 5-13 are allowed.

The following is an examiner's statement of reasons for allowance: The limitations of a drive axle for a self-propelled work machine with two traction motors spaced apart and a hydraulic pump motor placed axially between the two and at a right angle is not taught or reasonably suggested by the cited art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Collins, Unger, Kluver et al., Schuh, Elgas and Nagai et al are cited to illustrate similar industrial truck drive systems.

Any inquiry concerning this communication should be directed to Jonathan Salata at telephone number 703-571-5712.

Jonathan Salata
Primme Examiner
Ten Caror 2800